

**Tabular description:**

**RNAV RWY 30 via KOPEX 3D**

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft) Upper / lower	Speed (kt)	VPA/TCH	Navigation Specification
001	CF	BAFIQ	Y	299 / (303.2)	-4.0	-	-	-	-	-	RNAV 1
002	DF	CH825	-	-	-4.0	-	-	-	-	-	RNAV 1
003	TF	CH826	-	219 / (223.2)	-4.0	8.4	L	-	-	-	RNAV 1
004	TF	MAXEL	-	202 / (205.5)	-4.0	24.8	L	-	-	-	RNAV 1
005	TF	KOPEX	-	222 / (226.4)	-4.0	20.8	R	-	-	-	RNAV 1

**RNAV RWY 30 via LANGO 3D**

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft) Upper / lower	Speed (kt)	VPA/TCH	Navigation Specification
001	CF	BAFIQ	Y	299 / (303.2)	-4.0	-	-	-	-	-	RNAV 1
002	DF	CH825	-	-	-4.0	-	-	-	-	-	RNAV 1
003	TF	CH826	-	219 / (223.2)	-4.0	8.4	L	-	-	-	RNAV 1
004	TF	TOBIS	-	219 / (223.0)	-4.0	27.0	-	-	-	-	RNAV 1
005	TF	LANGO	-	233 / (237.2)	-4.0	33.7	-	-	-	-	RNAV 1

**RNAV RWY 30 via ODDON 1D**

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft) Upper / lower	Speed (kt)	VPA/TCH	Navigation Specification
001	CF	BAFIQ	Y	299 / (303.2)	-4.0	-	-	-	-	-	RNAV 1
002	DF	CH825	-	-	-4.0	-	-	-	-	-	RNAV 1
003	TF	DOBEL	-	259 / (262.5)	-4.0	34.0	L	-	-	-	RNAV 1
004	TF	ODDON	-	263 / (266.9)	-4.0	25.1	-	-	-	-	RNAV 1

**RNAV RWY 30 via GOLGA 3D**

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft) Upper / lower	Speed (kt)	VPA/TCH	Navigation Specification
001	CF	BAFIQ	Y	299 / (303.2)	-4.0	-	-	-	-	-	RNAV 1
002	DF	CH822	-	-	-4.0	-	-	-	-	-	RNAV 1
003	TF	CH824	-	309 / (313.1)	-4.0	12.5	-	-	-	-	RNAV 1
004	TF	MIRGO	-	332 / (336.4)	-4.0	12.2	R	-	-	-	RNAV 1
005	TF	GOLGA	-	327 / (330.5)	-4.0	20.6	-	-	-	-	RNAV 1

**RNAV RWY 30 via VEDAR 3D**

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft) Upper / lower	Speed (kt)	VPA/TCH	Navigation Specification
001	CF	BAFIQ	Y	299 / (303.2)	-4.0	-	-	-	-	-	RNAV 1
002	DF	CH822	-	-	-4.0	-	-	-	-	-	RNAV 1
003	TF	CH824	-	309 / (313.1)	-4.0	12.5	-	-	-	-	RNAV 1
004	TF	NOVPO	-	008 / (012.0)	-4.0	15.8	R	-	-	-	RNAV 1
005	TF	VEDAR	-	347 / (351.3)	-4.0	25.9	L	-	-	-	RNAV 1

Changes : ODDON 1B Corrected to ODDON 1D.