

Instrument Approach Procedure Coding Tables:

EKRN RNP RWY 29 via ASBAX

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance	Turn Direction	Altitude (ft)	Speed (kt)	VPA/TCH	Navigation Specification
005	IF	ASBAX	-	-	7.0E	-	-	+2000	-240	-	RNP APCH
010	TF	ALDEQ	-	217 / (223.8)	7.0E	5.0	-	+2000	-240	-	RNP APCH
020	TF	RN29F	-	287 / (293.8)	7.0E	4.4	R	@2000	-	-	RNP APCH
040	TF	RW29	Y	287 / (293.8)	7.0E	6.0	-	-	-	3.0°/52	RNP APCH
050	CF	RNT29	Y	287 / (293.8)	7.0E	2.0	-	-	-	-	RNP APCH
060	DF	FAU	-	-	7.0E	-	L	-5000 / +2000	-	-	RNP APCH
070	HM	FAU	-	287 / (293.8)	7.0E	-	L	-5000 / +2000	-240	-	RNP APCH

EKRN RNP RWY 29 via INVIR

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance	Turn Direction	Altitude (ft)	Speed (kt)	VPA/TCH	Navigation Specification
005	IF	INVIR	-	-	7.0E	-	-	+2000	-240	-	RNP APCH
010	TF	ALDEQ	-	287 / (294.3)	7.0E	4.0	-	+2000	-240	-	RNP APCH
020	TF	RN29F	-	287 / (293.8)	7.0E	4.4	-	@2000	-	-	RNP APCH
040	TF	RW29	Y	287 / (293.8)	7.0E	6.0	-	-	-	3.0°/52	RNP APCH
050	CF	RNT29	Y	287 / (293.8)	7.0E	2.0	-	-	-	-	RNP APCH
060	DF	FAU	-	-	7.0E	-	L	-5000 / +2000	-	-	RNP APCH
070	HM	FAU	-	287 / (293.8)	7.0E	-	L	-5000 / +2000	-240	-	RNP APCH

EKRN RNP RWY 29 via GOTOG

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance	Turn Direction	Altitude (ft)	Speed (kt)	VPA/TCH	Navigation Specification
005	IF	GOTOG	-	-	7.0E	-	-	+2000	-240	-	RNP APCH
010	TF	ALDEQ	-	357 / (004.3)	7.0E	5.0	-	+2000	-240	-	RNP APCH
020	TF	RN29F	-	287 / (293.8)	7.0E	4.4	L	@2000	-	-	RNP APCH
040	TF	RW29	Y	287 / (293.8)	7.0E	6.0	-	-	-	3.0°/52	RNP APCH
050	CF	RNT29	Y	287 / (293.8)	7.0E	2.0	-	-	-	-	RNP APCH
060	DF	FAU	-	-	7.0E	-	L	-5000 / +2000	-	-	RNP APCH
070	HM	FAU	-	287 / (293.8)	7.0E	-	L	-5000 / +2000	-240	-	RNP APCH

EKRN RNP RWY 29 waypoint coordinates:

Waypoint Identifier	Coordinates
ASBAX (IAF)	55 02 58.91N 015 08 57.25E
INVIR (IAF)	54 57 46.11N 015 09 15.45E
GOTOG (IAF)	54 54 24.69N 015 02 19.26E
ALDEQ (IF)	54 59 23.86N 015 02 58.40E
RN29F (FAF)	55 01 09.98N 014 55 58.76E
RW29 (MAPt)	55 03 34.73N 014 46 26.05E
RNT29 (MATP)	55 04 24.04N 014 43 11.23E
FAU (MAHF)	55 01 41.49N 014 54 01.79E

Changes : Magnetic variation and directions, speedrestrictions changed. HLDG MAX altitude added.