

**Instrument Approach Procedure Coding Tables:**

**BGBW RNP Y RWY 06 CAT A + B aircraft.**

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance	Turn Direction	Altitude (ft)	Speed (kt)	VPA/TCH	Navigation Specification
010	IF	ADMIX	-	-	+21.0	-	-	+6500	-	-	RNP APCH
020	TF	BWI06	-	151 / (129.9)	+21.0	6.0	L	+4800	-210	-	RNP APCH
010	IF	RINUM	-	-	+21.0	-	-	+6400	-	-	RNP APCH
020	TF	BWI06	-	061 / (039.9)	+21.0	6.0	-	+4800	-210	-	RNP APCH
010	IF	TESGI	-	-	+21.0	-	-	+7500	-	-	RNP APCH
020	TF	BWI06	-	331 / (310.2)	+21.0	7.5	R	+4800	-210	-	RNP APCH
030	TF	BWF06	-	061 / (040.1)	+21.0	6.4	-	+3300	-	3.50°	RNP APCH
040	TF	BWM06	Y	061 / (040.2)	+21.0	5.9	L	-	-130	3.50°/50	RNP APCH
050	DF	BW004	-	-	+21.0	-	L	-	-130	-	RNP APCH
060	TF	BW005	-	263 / (241.9)	+21.0	10.5	-	-	-240	-	RNP APCH
070	TF	BW006	-	203 / (181.6)	+21.0	6.8	L	-	-	-	RNP APCH
080	TF	RINUM	-	131 / (109.8)	+21.0	5.5	-	@6400	-	-	RNP APCH
090	HM	RINUM	Y	061 / (039.9)	+21.0	-	R	@6400	-	-	RNP APCH

**BGBW RNP Y RWY 06 waypoint coordinates:**

Waypoint Identifier	Coordinates	Waypoint Identifier	Coordinates
ADMIX (IAF)	61 01 33.86N 045 55 46.90W	BWM06 (MAPt)	61 07 07.14N 045 29 58.35W
RINUM (IAF / MAHF)	60 53 07.95N 045 54 14.57W	BW004 (MATF)	61 06 42.95N 045 45 24.96W
TESGI (IAF)	60 52 53.66N 045 34 35.27W	BW005 (MATF)	61 01 44.32N 046 04 30.41W
BWI06 (IF)	60 57 43.08N 045 46 20.32W	BW006 (MATF)	60 55 00.34N 046 04 53.25W
BWF06 (FAF)	61 02 37.75N 045 37 48.97W		

Changes: Chart designator changed. VAR and MAG tracks changed. In ALT section + and @ symbols added.