

Instrument Approach Procedure Coding Tables:

EKVD RNP RWY 01 via EBURU

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance	Turn Direction	Altitude (ft)	Speed (kt)	VPA/TCH	Navigation Specification
005	IF	EBURU	-		2.4E			+2300			RNP APCH
010	TF	VD013	-	105°/(107.5)	2.4E	3.0	L	+1600			RNP APCH
020	TF	VD012	-	015°/(017.5)	2.4E	3.4		+1500			RNP APCH
030	TF	RW01	Y	015°/(017.6)	2.4E	4.2				3.0°/50	RNP APCH
040	TF	VD014	Y	015°/(017.6)	2.4E	3.2	L				RNP APCH
050	DF	KD	Y		2.4E						RNP APCH

EKVD RNP RWY 01 via GEMRO

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance	Turn Direction	Altitude (ft)	Speed (kt)	VPA/TCH	Navigation Specification
005	IF	GEMRO	-		2.4E			+2300			RNP APCH
010	TF	VD013	-	285°/(287.6)	2.4E	3.0	R	+1600			RNP APCH
020	TF	VD012	-	015°/(017.5)	2.4E	3.4		+1500			RNP APCH
030	TF	RW01	Y	015°/(017.6)	2.4E	4.2				3.0°/50	RNP APCH
040	TF	VD014	Y	015°/(017.6)	2.4E	3.2	L				RNP APCH
050	DF	KD	Y		2.4E						RNP APCH

EKVD RNP RWY 01 via ROSRA

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance	Turn Direction	Altitude (ft)	Speed (kt)	VPA/TCH	Navigation Specification
005	IF	ROSRA	-		2.4E			+2300			RNP APCH
010	TF	VD013	-	015°/(017.5)	2.4E	3.0		+1600			RNP APCH
020	TF	VD012	-	015°/(017.5)	2.4E	3.4		+1500			RNP APCH
030	TF	RW01	Y	015°/(017.6)	2.4E	4.2				3.0°/50	RNP APCH
040	TF	VD014	Y	015°/(017.6)	2.4E	3.2	L				RNP APCH
050	DF	KD	Y		2.4E						RNP APCH

EKVD RNP RWY 01 waypoint coordinates:

Waypoint Identifier	Coordinates
EBURU (IAF)	55 19 34.77N 009 10 41.05E
GEMRO (IAF)	55 17 46.53N 009 20 42.04E
ROSRA (IAF)	55 15 49.39N 009 14 06.68E
VD013 (IF)	55 18 40.79N 009 15 41.46E
VD012 (FAF)	55 21 55.03N 009 17 29.15E
RW01 (MAPt)	55 25 52.07N 009 19 40.99E
VD014 (MATF)	55 28 57.00N 009 21 24.19E
KD (MAHF)	55 26 35.87N 009 20 05.42E

Changes : Chart name changed.