

Instrument Approach Procedure Coding Tables:

BGSS RNP Z RWY 13 via SEFUN, OSGEK and VEGOD

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed (kt)	VPA/TCH	Navigation Specification
010	IF	SEFUN	-	-	+28.0	-	-	A4300+	-	-	RNP APCH
020	TF	SSI13	-	041 / (013.3)	+28.0	5.0	R	A2800+	-	-	RNP APCH
010	IF	OSGEK	-	-	+28.0	-	-	A2800+	-	-	RNP APCH
020	TF	SSI13	-	131 / (103.2)	+28.0	5.0	-	A2800+	-	-	RNP APCH
010	IF	VEGOD	-	-	+28.0	-	-	A4600+	-	-	RNP APCH
020	TF	SSI13	-	221 / (193.5)	+28.0	5.0	L	A2800+	-	-	RNP APCH
030	TF	SSF13	-	131 / (103.5)	+28.0	5.0	-	A2800+	-	-	RNP APCH
040	TF	SSM13	Y	132 / (103.6)	+28.0	5.0	-	-	-130	3.01°/50	RNP APCH
050	DF	SEFUN	-	-	+28.0	-	R	-	-130	-	RNP APCH
060	HM	SEFUN	Y	041 / (013.3)	+28.0	-	L	A2800	-	-	RNP APCH

BGSS RNP Z RWY 13 waypoint coordinates:

Waypoint Identifier	Coordinates
SEFUN (IAF / MAHF)	66 55 28.00N 054 20 37.00W
OSGEK (IAF)	67 01 27.00N 054 30 05.00W
VEGOD (IAF)	67 05 09.00N 054 14 43.00W
SSI13 (IF)	67 00 18.48N 054 17 40.70W
SSF13 (FAF)	66 59 08.68N 054 05 18.03W
SSM13 (MAPt)	66 57 57.90N 053 52 56.34W

Changes: New procedure.