

Instrument Approach Procedure Coding Tables:

BGUQ RNP A via ELBOV and GISUT.

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed (kt)	VPA/TCH	Navigation Specification
010	IF	ELBOV	-	-	+30.0	-	-	A7700+	-	-	RNP APCH
015	TF	UQT41	-	179 / (148.9)	+30.0	5.2	R	A5900	-	-	RNP APCH
020	TF	UQI41	-	240 / (210.0)	+30.0	5.0	R	A4300	-	-	RNP APCH
010	IF	GISUT	-	-	+30.0	-	-	A7600+	-	-	RNP APCH
020	TF	UQI41	-	330 / (300.3)	+30.0	10.0	-	A4300	-	-	RNP APCH
030	TF	UQF41	-	330 / (299.9)	+30.0	6.0	-	A2800	-	-	RNP APCH
040	TF	UQM41	Y	330 / (299.6)	+30.0	5.3	R	-	-130	3.70°/-	RNP APCH
050	DF	LAROL	-	-	-	-	-	A3000	-130	-	RNP APCH
060	HM	LAROL	Y	188 / (158.1)	+30.0	-	R	A3000	-170	-	RNP APCH

BGUQ RNP A waypoint coordinates:

Waypoint Identifier	Coordinates
ELBOV (IAF)	70 47 06.77N 052 09 19.71W
GISUT (IAF)	70 33 23.69N 051 42 51.23W
UQT41	70 42 42.17N 052 01 17.73W
UQI41 (IF)	70 38 23.07N 052 08 47.76W
UQF41 (FAF)	70 41 20.92N 052 24 27.82W
UQM41 (MAPt)	70 43 56.64N 052 38 20.71W
LAROL (MAHF)	70 54 33.43N 052 51 08.99W

Changes: VAR and MAG bearings changed. Chart designator changed.