

INSTRUMENT APPROACH CHART - ICAO

AD ELEV : 45
Bearing are magnetic (true)
ELEV, ALT and HGT in FT


Constable Pynt AFIS : 118.100

**AD 2 - BGC0
RNP B - 2
Nerlerit Inaat**

TA 8000

Missed approach:
Left turn direct COF35, then to GAKBA,
climbing to 3500 and hold.

No turn before MAPt.



OCA (H)	A	B	B (130 KT)	SPECIAL CONDITIONS
Circling*	730 (685)	1520 (1475)	1070 (1025)	*Only east of aerodrome

Time from FAF (COF51) to MAPt (COM52) - DIST 6.3 NM **						
GS	KT	80	100	120	140	160
Time	MIN:SEC	04:44	03:47	03:09	02:42	02:22
Rate of descent 2.5° (4.4%)	FT/MIN	360	440	530	620	710

**Timing not authorized for defining the MAPt.

DIST to COM52	NM	1.0	2.0	3.0	4.0	5.0	6.0
Altitude (2.5° descent)		990	1260	1520	1780	2050	2320

Instrument Approach Procedure Coding Tables

BGC0 RNP Circling B via FEBOT

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M (°T)	Magnetic Variation	Distance	Turn Directions	Altitude (ft)	Speed (kt)	VPA/TCH	Navigation Specification
010	IF	FEBOT	-	-	+15.0	-	-	+6100	-	-	RNP APCH
010	IF	FEBOT	-	-	+15.0	-	-	+6100	-170	-	RNP APCH
015	HM	FEBOT	Y	199 / (183.9)	+15.0	-	R	+4200	-170	-	RNP APCH
020	TF	COI50	-	199 / (183.9)	+15.0	6.0	-	+3600	-	-	RNP APCH
030	TF	COF51	-	199 / (183.9)	+15.0	5.0	-	+2400	-	-	RNP APCH
040	TF	COM52	Y	199 / (183.9)	+15.0	6.3	-	-	-	-2.5° / -	RNP APCH
050	DF	COF35	-	-	+15.0	-	-	-	-	-	RNP APCH
060	TF	GAKBA	-	204 / (189.3)	+15.0	10.7	-	+3000	-	-	RNP APCH
070	HM	GAKBA	Y	062 / (047.4)	+15.0	-	R	3500	-	-	RNP APCH

BGC0 RNP Circling B waypoint coordinates

Waypoint Identifier	Coordinates
GAKBA (MAHF)	70 27 16.36N 022 35 35.09W
FEBOT (IAF)	71 01 41.33N 022 32 04.91W
COI50 (IF)	70 55 43.51N 022 33 20.28W
COF51 (FAF)	70 50 45.32N 022 34 22.52W
COM52 (MAPt)	70 44 29.58N 022 35 40.24W
COF35 (MATF)	70 37 45.49N 022 30 25.80W

Changes : New procedure.