

**Standard Instrument Departure Procedure Coding Tables:**

**RERPA 2A**

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance NM	Turn Direction	Altitude (ft)
010	CA	-	-	262/(266.8)	-5.0	-	R	+700
020	DF	BI367	-	-	-5.0	-	L	-
030	TF	RERPA	-	314/(318.6)	-5.0	43.4	-	-

**INTET 2A**

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance NM	Turn Direction	Altitude (ft)
010	CA	-	-	262/(266.8)	-5.0	-	R	+700
020	DF	BI367	-	-	-5.0	-	R	-
030	TF	INTET	-	030/(035.1)	-5.0	21.1	-	-

**ABINO 6A**

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance NM	Turn Direction	Altitude (ft)
010	CA	-	-	262/(266.8)	-5.0	-	R	+700
020	DF	BI364	-	-	-5.0	-	R	-
030	TF	ABINO	-	072/(076.7)	-5.0	24.4	-	-

**RIDSI 6A**

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance NM	Turn Direction	Altitude (ft)
010	CA	-	-	262/(266.8)	-5.0	-	R	+700
020	DF	BI364	-	-	-5.0	-	R	-
030	TF	RIDSI	-	120/(125.4)	-5.0	29.4	-	-

**ALS 6A**

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance NM	Turn Direction	Altitude (ft)
010	CA	-	-	262/(266.8)	-5.0	-	R	+700
020	DF	BI371	Y	-	-5.0	-	L	-
030	DF	ALS	-	-	-5.0	-	-	-

**MIKRO 5A**

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance NM	Turn Direction	Altitude (ft)
010	CA	-	-	262/(266.8)	-5.0	-	R	+700
020	DF	BI371	Y	-	-5.0	-	L	-
030	DF	MIKRO	-	-	-5.0	-	-	-

**BAMPI 5A**

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance NM	Turn Direction	Altitude (ft)
010	CA	-	-	262/(266.8)	-5.0	-	R	+700
020	DF	BI371	Y	-	-5.0	-	L	-
030	DF	BI372	-	-	-5.0	-	-	-
040	TF	BAMPI	-	273/(278.3)	-5.0	13.7	-	-

**ASKOV 4A**

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance NM	Turn Direction	Altitude (ft)
010	CA	-	-	262/(266.8)	-5.0	-	R	+700
020	DF	BI371	Y	-	-5.0	-	L	-2000
030	DF	ASKOV	-	-	-5.0	-	-	-

Changes: VAR changed.