

Instrument Approach Procedure Coding Tables:

BGSS RNP A via FUPSI, ETVAS and JOVAP

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed (kt)	VPA/TCH	Navigation Specification
010	IF	FUPSI	-	-	+28.0	-	-	A4700+	-	-	RNP APCH
020	TF	SSI41	-	041 / (012.6)	+28.0	5.0	L	A3000+	-	-	RNP APCH
010	IF	ETVAS	-	-	+28.0	-	-	A6400+	-	-	RNP APCH
020	TF	SSI41	-	331 / (303.0)	+28.0	9.0	-	A3000+	-	-	RNP APCH
010	IF	JOVAP	-	-	+28.0	-	-	A6400+	-	-	RNP APCH
020	TF	SSI41	-	261 / (232.9)	+28.0	9.0	R	A3000+	-	-	RNP APCH
030	TF	SSF41	-	331 / (302.7)	+28.0	4.0	-	A2200+	-	-	RNP APCH
040	TF	SSM41	Y	331 / (302.5)	+28.0	5.0	-	-	-	3.50' / -	RNP APCH
050	CA	-	-	331 / (302.5)	+28.0	-	-	A2000+	-	-	RNP APCH
060	DF	SEFUN	-	-	+28.0	-	L	-	-	-	RNP APCH
070	HM	SEFUN	Y	041 / (013.3)	+28.0	-	L	A2800	-	-	RNP APCH

BGSS RNP A waypoint coordinates:

Waypoint Identifier	Coordinates
FUPSI (IAF)	66 46 37.95N 053 29 09.01W
ETVAS (IAF)	66 46 37.91N 053 07 14.21W
JOVAP (IAF)	66 56 55.15N 053 08 11.39W
SSI41 (IF)	66 51 29.71N 053 26 23.02W
SSF41 (FAF)	66 53 38.55N 053 34 55.67W
SSM41 (MAPt)	66 56 18.94N 053 45 38.58W
SEFUN (MAHF)	66 55 28.00N 054 20 37.00W

Changes: New procedure.