

Instrument Approach Procedure Coding Tables:

EKCH RNP RWY 22L

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance	Turn Direction	Altitude (ft)	Speed (kt)	VPA/TCH	Navigation Specification
010	IF	VOCXI	-	-	-4.0	-	-	+3000	-220	-	RNP APCH
020	TF	CH610	-	127 / (131.2)	-4.0	4.5	R	+2500	-	-	RNP APCH
010	IF	ODLAQ	-	-	-4.0	-	-	+3000	-220	-	RNP APCH
020	TF	CH610	-	307 / (311.4)	-4.0	4.5	L	+2500	-	-	RNP APCH
010	IF	EXTAR	-	-	-4.0	-	-	+3000	-220	-	RNP APCH
020	TF	CH610	-	217 / (221.4)	-4.0	2.5	-	+2500	-	-	RNP APCH
010	IF	CH610	-	-	-4.0	-	-	+2500	-	-	RNP APCH
020	TF	CH2LF	-	217 / 221.4)	-4.0	4.0	-	+2000	-	-	RNP APCH
030	TF	RW22L	Y	217 / 221.4)	-4.0	6.0	-	-	-	3.0° / 53	RNP APCH
040	CF	CH2L1	Y	217 / (221.4)	-4.0	2.0	L	-	-	-	RNP APCH
050	DF	CH2L2	-	-	-4.0	-	-	+3000	-	-	RNP APCH
060	FM	CH2L2	-	182 / (186.3)	-4.0	-	-	+3000	-	-	RNP APCH

EKCH RNP RWY 22L waypoint coordinates:

Waypoint Identifier	Coordinates	Waypoint Identifier	Coordinates
VOCXI (IAF)	55 47 58.42N 012 45 42.92E	CH2LF (FAP/FAF)	55 42 01.00N 012 47 01.90E
ODLAQ (IAF)	55 42 02.71N 012 57 40.81E	RW22L (MAPt)	55 37 31.50N 012 40 03.30E
EXTAR (IAF)	55 46 53.30N 012 54 38.40E	CH2L1 (MATF)	55 35 59.80N 012 37 40.70E
CH610 (IF)	55 45 00.71N 012 51 42.32E	CH2L2	55 19 57.60N 012 34 35.70E

Changes: Coding Table revised. WPT CH610, VOCXI and ODLAQ added. WPT ABEGI and ADOVI withdrawn. FAS Data block moved to RNP RWY 22L - 3.