

Instrument Approach Procedure Coding Tables:

BGJN RNP A via LUDOC, REBKU and GOTMU

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance	Turn Direction	Altitude (ft)	Speed (kt)	VPA/TCH	Navigation Specification
010	IF	LUDOC	-	-	+29.0	-	-	+4800	-	-	RNP APCH
020	TF	JNI24	-	175°/(146.0)	+29.0	5.5	R	+3600	-	-	RNP APCH
010	IF	REBKU	-	-	+29.0	-	-	+4200	-	-	RNP APCH
020	TF	JNI24	-	245°/(216.3)	+29.0	5.0	-	+3600	-	-	RNP APCH
010	IF	GOTMU	-	-	+29.0	-	-	+4400	-	-	RNP APCH
020	TF	JNI24	-	315°/(286.4)	+29.0	5.5	L	+3600	-	-	RNP APCH
030	TF	JNF24	-	245°/(216.2)	+29.0	4.0	-	+2800	-	-	RNP APCH
040	TF	RW24	Y	245°/(216.0)	+29.0	6.0	-	-	-	3.7°/-	RNP APCH
050	CA	-	-	245°/(216.0)	+29.0	-	-	+1800	-	-	RNP APCH
060	DF	LUDOC	-	-	+29.0	-	R	-	-	-	RNP APCH
070	HM	LUDOC	Y	175°/(146.0)	+29.0	-	R	@3600	-	-	RNP APCH

BGJN RNP A waypoint coordinates:

Waypoint Identifier	Coordinates
LUDOC (IAF/MAHF)	69 27 22.10N 050 55 12.10W
REBKU (IAF)	69 26 50.40N 050 38 08.65W
GOTMU (IAF)	69 21 17.10N 050 31 35.43W
JNI24 (IF)	69 22 49.21N 050 46 30.56W
JNF24 (FAF)	69 19 35.97N 050 53 09.86W
RW24 (MAPt)	69 14 46.62N 051 03 03.06W