

Recommended Coding Tables:

BGGH RNP Z RWY 22

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance	Turn Direction	Altitude (ft)	Speed (kt)	VPA/TCH	Navigation Specification
010	IF	VETOX	-	-	+24.0	-	-	+5400	-	-	RNP APCH
020	TF	GH22I	-	132 / (107.7)	+24.0	5.0	R	+4400	-	-	RNP APCH
010	IF	GETDA	-	-	+24.0	-	-	+7400	-	-	RNP APCH
020	TF	GH22I	-	222 / (197.9)	+24.0	8.0	-	+4400	-	-	RNP APCH
010	IF	ERALA	-	-	+24.0	-	-	+7400	-	-	RNP APCH
020	TF	GH22I	-	312 / (288.1)	+24.0	7.5	L	+4400	-	-	RNP APCH
010	IF	GH22I	-	-	+24.0	-	-	+4400	-	-	RNP APCH
020	TF	GH600	-	222 / (197.8)	+24.0	4.9	-	+3200	-	-	RNP APCH
030	TF	GH604	Y	222 / (197.8)	+24.0	8.2	R	-	-130	3.20°/50	RNP APCH
040	DF	CALRI	-	-	+24.0	-	-	+3000	-130	-	RNP APCH
050	HM	CALRI	Y	131 / (107.2)	+24.0	-	R	+3000	-170	-	RNP APCH

BGGH RNP Z RWY 22 waypoint coordinates:

Waypoint Identifier	Coordinates
VETOX (IAF)	64 26 18.64N 051 41 54.78W
GETDA (IAF)	64 32 23.04N 051 25 15.27W
ERALA (IAF)	64 22 29.24N 051 14 29.10W
GH22I (IF)	64 24 47.50N 051 30 55.59W
GH600 (FAP/FAF)	64 20 05.65N 051 34 24.51W
GH604 (MAPt)	64 12 18.81N 051 40 07.83W
CALRI (MAHF)	64 15 02.89N 052 06 53.01W
RW22	64 12 00.89N 051 40 20.94W

Changes : Page title changed to Z. Editorial changes.