

**Instrument Approach Procedure Coding Tables:  
EKEB RNP RWY 08 via DIGOV, TOMMO and OBOSI**

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track *M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed (kt)	VPA/TCH	Navigation Specification
010	IF	DIGOV	-	-	-3.0	-	-	+2000	-	-	RNP APCH
020	TF	BANLU	-	346 / (349.3)	-3.0	5.0	R	+2000	-240	-	RNP APCH
010	IF	TOMMO	-	-	-3.0	-	-	+2000	-	-	RNP APCH
020	TF	BANLU	-	064 / (066.4)	-3.0	5.0	R	+2000	-	-	RNP APCH
010	IF	OBOSI	-	-	-3.0	-	-	+2000	-	-	RNP APCH
020	TF	BANLU	-	166 / (169.2)	-3.0	5.0	L	+2000	-240	-	RNP APCH
010	IF	BANLU	-	-	-3.0	-	-	+2000	-	-	RNP APCH
020	TF	EB081	-	076 / (079.2)	-3.0	4.1	-	+2000	-	-	RNP APCH
030	TF	RW08	Y	077 / (079.3)	-3.0	5.9	-	-	-	3.00 / 50	RNP APCH
040	CF	EB08M	Y	077 / (079.5)	-3.0	2.5	L	-	-210	-	RNP APCH
050	DF	BANLU	-	-	-3.0	-	-	-	-210	-	RNP APCH
060	TF	TOMMO	-	244 / (246.5)	-3.0	5.0	-	+2000/-FL080	-210	-	RNP APCH
070	HM	TOMMO	Y	054 / (051.1)	-3.0	-	R	+2000/-FL080	-210	-	RNP APCH

**EKEB RNP RWY 08 waypoint coordinates:**

Waypoint Identifier	Coordinates	Waypoint Identifier	Coordinates
BANLU (IF)	55 29 35.49N 008 14 45.37E	EB08M (MATF)	55 31 53.10N 008 36 20.09E
DIGOV (IAF)	55 24 41.20N 008 16 23.63E	EB081 (FAF/FAP)	55 30 21.11N 008 21 50.36E
TOMMO (IAF/MAHF)	55 27 35.86N 008 06 41.87E	RW08 (MAPt)	55 31 25.84N 008 32 00.56E
OBOSI (IAF)	55 34 29.75N 008 13 06.68E		

Changes: DIST RW08 - EB08M corrected in Serial Number 040.