

**Instrument Approach Procedure Coding Tables:**

**EKCH RNP RWY 22R**

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance	Turn Direction	Altitude (ft)	Speed (kt)	VPA/TCH	Navigation Specification
010	IF	VOCXI	-	-	-4.0	-	-	+3000	-220	-	RNP APCH
020	TF	CH609	-	127 / (130.8)	-4.0	4.2	R	+2500	-	-	RNP APCH
010	IF	RUCCI	-	-	-4.0	-	-	+3000	-220	-	RNP APCH
020	TF	CH609	-	217 / (221.4)	-4.0	2.5	-	+2500	-	-	RNP APCH
010	IF	ODLAQ	-	-	-4.0	-	-	+3000	-220	-	RNP APCH
020	TF	CH609	-	307 / (311.0)	-4.0	4.8	L	+2500	-	-	RNP APCH
010	IF	CH609	-	-	-4.0	-	-	+2500	-	-	RNP APCH
020	TF	CH2RF	-	217 / 221.4)	-4.0	5.4	-	+2000	-	-	RNP APCH
030	TF	RW22R	Y	217 / 221.3)	-4.0	6.0	-	-	-	3.0° / 47	RNP APCH
040	TF	CH2R1	-	217 / (221.3)	-4.0	19.7	L	-	-	-	RNP APCH
050	FM	CH2R1	-	217 / (221.1)	-4.0	-	-	+3000	-	-	RNP APCH

**EKCH RNP RWY 22R waypoint coordinates:**

Waypoint Identifier	Coordinates	Waypoint Identifier	Coordinates
VOCXI (IAF)	55 47 58.42N 012 45 42.92E	CH2RF (FAP/FAF)	55 41 12.55N 012 45 00.87E
RUCCI (IAF)	55 47 06.19N 012 54 13.00E	RW22R (MAPt)	55 36 44.92N 012 38 05.61E
ODLAQ (IAF)	55 42 02.71N 012 57 40.81E	CH2R1 (MATF)	55 21 54.15N 012 15 14.53E
CH609 (IF)	55 45 14.78N 012 51 18.64E		

Changes: Flyover status 030 RW22R and 040 CH2R1 corrected..