

**Recommended Coding Tables:**

**BGKK RNP A**

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance	Turn Direction	Altitude (ft)	Speed (kt)	VPA/TCH	Navigation Specification
010	IF	BUMUD	-	-	+20.0	-	-	A4500+	-	-	RNP APCH
020	TF	INGUB	-	212 / (192.5)	+20.0	5.0	R	A3200+	-	-	RNP APCH
010	IF	URUKU	-	-	+20.0	-	-	A4000+	-	-	RNP APCH
020	TF	INGUB	-	032 / (012.4)	+20.0	5.0	L	A3200+	-	-	RNP APCH
010	IF	INGUB	-	-	+20.0	-	-	A3200+	-	-	RNP APCH
030	TF	KKF41	-	302 / (282.4)	+20.0	5.0	-	A2600+	-	-	RNP APCH
040	TF	KKM41	Y	302 / (282.3)	+20.0	5.4	-	-	-	-	RNP APCH
050	DF	KKF10	-	-	+20.0	-	L	-	-	-	RNP APCH
060	TF	LUNAL	-	267 / (246.8)	+20.0	9.7	L	A4000	-	-	RNP APCH
070	HM	LUNAL	Y	087 / (066.5)	+20.0	-	R	A4000	-	-	RNP APCH

**BGKK RNP A waypoint coordinates:**

Waypoint Identifier	Coordinates
BUMUD (IAF)	65 37 07.18N 036 37 07.94W
INGUB (IAF / IF)	65 32 15.16N 036 39 43.77W
URUKU (IAF)	65 27 23.10N 036 42 18.61W
KKF41 (FAF)	65 33 19.11N 036 51 28.68W
KKM41 (MAPt)	65 34 27.46N 037 04 14.52W
KKF10 (MATF)	65 33 39.04N 037 24 50.29W
LUNAL (IAF / MAHF)	65 29 48.85N 037 46 14.55W

Changes: VAR and MAG bearings changed. Chart designator changed. WP name KKF11 changed.