

AIRCRAFT PARKING / DOCKING CHART - ICAO


AD 2 - EKBI
APDC
Billund

Changes : VAR changed.

Apron North ELEV : 232 FT
Apron South ELEV : 215 FT

ACL ELEV at Apron North : 232 FT
ACL ELEV at Apron South : 215 FT

Billund TWR : 119.005 (ARR) 129.505 (DEP)
ATIS : 118.780 (ARR) 129.105 (DEP)



ELEV in FT
Dimensions / Distances in M

CAT II / III HOLD
and
CAT I HOLD for
ACFT type D + E

Datum : WGS-84

SCALE 1 : 12 500

INS COORDINATES FOR AIRCRAFT STANDS

Stand	INS Coordinate
1	55 44 15.03N 009 08 10.65E
2	55 44 15.15N 009 08 14.55E
3	55 44 15.27N 009 08 18.45E
4	55 44 15.39N 009 08 22.35E
5	55 44 15.51N 009 08 26.25E
6	55 44 15.34N 009 08 30.55E
7	55 44 15.48N 009 08 35.19E
8	55 44 42.20N 009 08 38.77E
9	55 44 42.28N 009 08 41.18E
10	55 44 42.33N 009 08 42.77E
11	55 44 42.35N 009 08 43.58E
12	55 44 42.43N 009 08 45.98E
13	55 44 42.50N 009 08 48.39E
14	55 44 42.58N 009 08 50.79E
15	55 44 42.65N 009 08 53.20E
16	55 44 42.73N 009 08 55.60E
17	55 44 42.78N 009 08 57.20E
18	55 44 42.80N 009 08 58.01E
19	55 44 42.88N 009 09 00.41E
20	55 44 42.93N 009 09 02.01E
21	55 44 42.95N 009 09 02.81E

APRON

Apron South :
Concrete PCN 110 / R / A / X / T

Apron North :
Semi-flexible pavement (Densiphalt)
PCN 110 / F / C / W / T

Apron North Remote parking :
Semi-flexible pavement (Densiphalt)
PCN 90 / F / C / W / T

Deicing platform :
Semi-flexible pavement (Densiphalt)
PNC 90 / F / C / W / T

TAXIWAYS G and G2

Secondary TWY G and G2 :
Width / Pavement :
12 M / Asphalt

Lighting :
Blue edge LIL on TWY G

Stand	INS Coordinate
22	55 44 37.72N 009 08 45.13E
23	55 44 37.80N 009 08 47.54E
24	55 44 37.87N 009 08 49.94E
25	55 44 37.95N 009 08 52.34E
26	55 44 38.02N 009 08 54.75E
27	55 44 35.69N 009 08 45.33E
28	55 44 35.76N 009 08 47.73E
29	55 44 35.84N 009 08 50.14E
30	55 44 35.91N 009 08 52.54E
31	55 44 35.99N 009 08 54.95E